



VEHICLES


## KartCAM™

A new way to move the camera, the KartCAM™ coupled with the Movi stabilised head allows for stable and dynamic low camera angles.

The KartCAM™ is a new way of delivering unusual tracking shots, allowing the viewer right into the heart of the action.

Fitted with a custom vibration isolation system the buggy can track smoothly ensuring high shot stability even in the most demanding of environments. The KartCAM™ offers an unrivalled perspective, taking the camera into areas where it may not be otherwise possible for an operator to go.

Integral to the KartCAM™ is its high performance brushless motor enabling the buggy to endure long running times and incredible peak power. The system is easy to rig and can be combined with an ultra-lightweight custom built M15 Movihead 3 axis camera stabiliser head. For television applications, the Movi head is fitted with a Sony HDC P1 and Fujinon 4x Zoom lens (7.5-30mm) as standard (option for Sony F55 and prime lens also available). The package also includes a Cobham HD RF link and radio camera control system for live transmission to the OB and seamless integration into the production workflow.



## Technical Specifications

LENGTH:	31"/78.7cm
WIDTH:	18"/45.7cm
HEIGHT (Buggy only):	10"/25.4cm
WEIGHT:	20lbs (excl. Movi head, camera & lens)
INPUT VOLTAGE:	14.8-25.5V (4S TO 6S LiPo)
WHEELBASE:	22.6"/57.5cm
MAXIMUM SPEED:	40 mph
STABILISED CAMERA MOUNT:	M15 Movihead
CAMERA OPTIONS:	Sony HDC-P1 or Sony F55 Cobham HD RF Link with radio camera control (operator controls iris)

